



COPY OF PAPER
ORIGINALLY FILED

RECEIVED #8/A

AUG 21 2002

TECH CENTER 1600/2900

SEQUENCE LISTING

<110> Muthiah, Muthiah
Guzaev, Andrei P.

<120> Labeled Oligonucleotides, Methods For Making Same, And Compounds Useful Therefor

<130> ISIS-4723

<140> 09/823,031

<141> 2001-03-30

<160> 21

<170> PatentIn version 3.1

<210> 1

<211> 12

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<400> 1

tttttttttt tt

12

<210> 2

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<400> 2

atgcattctg cccccaagga

20

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<220>

<221> misc_feature

<222> (1)..(6)

<223> 2'-O-(2-methoxyethyl)

<220>

<221> misc_feature

<222> (15)..(20)

<223> 2'-O-(2-methoxyethyl)

<220>

<221> misc_feature

<222> (3)..(3)

<223> 5-methyl-2'-O-(2-methoxyethyl) cytidine

<400> 3

agcttctttg cacatgtaa

20

<210> 4

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<220>

<221> misc_feature

<222> (1)..(1)

<223> dimethoxytrityl protecting group

<220>

<221> misc_feature

<222> (20)..(20)

<223> 3' phosphate group

<400> 4

tgcaccccc aggccaccat

20

<210> 5

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<220>

<221> misc_feature

<222> (1)..(1)

<223> dimethoxytrityl protecting group

<220>

<221> misc_feature

<222> (20)..(20)

<223> 3' phosphorothioate group

<400> 5

tgcaccccc aggccaccat

20

<210> 6

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<220>

<221> misc_feature

<222> (20)..(20)

<223> 3' phosphate group

<400> 6

tgcaccccc aggccaccat

20

<210> 7

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<220>

<221> misc_feature

<222> (20)..(20)
<223> 3' phosphorothioate group

<400> 7
tgcatcccc aggccaccat 20

<210> 8
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (20)..(20)
<223> N-(1-pyrenylmethyl) iodoacetamide linked to a 3' phosphorothioate group

<400> 8
tgcatcccc aggccaccat 20

<210> 9
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (20)..(20)
<223> 5-iodoacetamidofluorescein linked to a 3' phosphorothioate group

<400> 9
tgcatcccc aggccaccat 20

<210> 10
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (2)..(2)
<223> modified phosphorothioate group

<220>
<221> misc_feature
<222> (20)..(20)
<223> modified phosphorothioate group

<400> 10
tgcatcccc aggccaccat 20

<210> 11
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> modified phosphorothioate groups

<220>
<221> misc_feature
<222> (20)..(20)
<223> modified phosphorothioate groups

<400> 11
tgcattcccc aggccacat

20

<210> 12
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> cholesterol and linker or dialkylglycerol and linker

<400> 12
gccaagctg gcatccgtca

20

<210> 13
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (1)..(1)
<223> cholesterol and linker

<220>
<221> misc_feature
<222> (15)..(15)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (2)..(3)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (16)..(16)

<223> c: 2'-O-MOE-5-Me-rC

<220>

<221> misc_feature

<222> (17)..(17)

<223> a: 2'-O-MOE-rA

<220>

<221> misc_feature

<222> (18)..(20)

<223> g: 2'-O-MOE-rG

<220>

<221> misc_feature

<222> (13)..(14)

<223> c: 2'-O-MOE-5-Me-rC

<400> 13

tccggtcatcg ctcctcaggg

20

<210> 14

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic Oligonucleotide Sequence

<220>

<221> misc_feature

<222> (1)..(1)

<223> g: 2'-O-MOE-rG

<220>

<221> misc_feature

<222> (1)..(1)

<223> cholesterol and linker

<220>

<221> misc_feature

<222> (16)..(16)

<223> g: 2'-O-MOE-rG

<220>

<221> misc_feature

<222> (17)..(17)

<223> c: 2'-O-MOE-5-Me-rC

<220>

<221> misc_feature

<222> (18)..(20)

<223> g: 2'-O-MOE-rG

<220>

<221> misc_feature

<222> (2)..(2)

<223> t: 2'-O-MOE-rT

<220>

<221> misc_feature

<222> (3)..(4)

<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (5)..(5)
<223> a: 2'-O-MOE-rA

<400> 14
gtccaccatt agcacgcggg

20

<210> 15
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (1)..(1)
<223> cholesterol and linker

<220>
<221> misc_feature
<222> (2)..(2)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (3)..(4)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (5)..(5)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (6)..(7)
<223> C* : 5-Me-dC

<220>
<221> misc_feature
<222> (13)..(13)
<223> C* : 5-Me-dC

<220>
<221> misc_feature
<222> (15)..(15)
<223> C* : 5-Me-dC

<220>
<221> misc_feature
<222> (16)..(16)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (17)..(17)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (18)..(20)
<223> g: 2'-O-MOE-rG

<400> 15
gtccaccatt agcacgcg

20

<210> 16
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (1)..(2)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (1)..(1)
<223> cholesterol and linker

<220>
<221> misc_feature
<222> (3)..(3)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (4)..(4)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (5)..(6)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (7)..(7)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (8)..(9)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (10)..(10)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (11)..(11)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (12)..(12)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (13)..(13)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (14)..(15)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (17)..(17)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (18)..(18)
<223> a: 2'-O-MOE-rA

<400> 16
cctcttacct cagttaca

18

<210> 17
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (1)..(1)
<223> cholesterol and linker

<220>
<221> misc_feature
<222> (10)..(11)
<223> t: 2'-O-MOE-rT

<220>

<221> misc_feature
<222> (12)..(13)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (14)..(16)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (17)..(17)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (18)..(18)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (2)..(2)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (3)..(3)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (4)..(4)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (5)..(6)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (7)..(7)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (8)..(9)
<223> c: 2'-O-MOE-5-Me-rC

<400> 17
gctattacct taaccag

18

<210> 18
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature

<222> (1)..(1)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (1)..(1)
<223> cholesterol and linker

<220>
<221> misc_feature
<222> (2)..(2)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (3)..(3)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (4)..(4)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (5)..(5)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (8)..(9)
<223> C*: 5-Me-dC

<220>
<221> misc_feature
<222> (11)..(11)
<223> C*: 5-Me-dC

<220>
<221> misc_feature
<222> (16)..(18)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (19)..(19)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (20)..(20)
<223> a: 2'-O-MOE-rA

<400> 18
ctgctagcct ctggatttga

20

<210> 19
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (1)..(1)
<223> cholesterol and linker

<220>
<221> misc_feature
<222> (4)..(4)
<223> c: 2'-O-MOE-5-Me-rC

<220>
<221> misc_feature
<222> (5)..(5)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (8)..(8)
<223> C*: 5-Me-dC

<220>
<221> misc_feature
<222> (11)..(12)
<223> C*: 5-Me-dC

<220>
<221> misc_feature
<222> (16)..(17)
<223> t: 2'-O-MOE-rT

<220>
<221> misc_feature
<222> (18)..(18)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (19)..(19)
<223> g: 2'-O-MOE-rG

<220>
<221> misc_feature
<222> (20)..(20)
<223> a: 2'-O-MOE-rA

<220>
<221> misc_feature
<222> (2)..(3)
<223> t: 2'-O-MOE-rT

<400> 19
cttctggcat ccggtttaga

20

A4
<210> 20
<211> 18
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<400> 20
ccucuauaccu caguuaca

18

<210> 21
<211> 18
<212> RNA
<213> Artificial Sequence

<220>
<223> Synthetic Oligonucleotide Sequence

<400> 21
gcuaauuaccu uaacccag

18